




-  your idea...
-  our solutions...
-  your success...



Control Panel





For many years, EASYsa designs and manufactures control panels for machine tools and industrial equipment with a permanent concern. **The quality** goes beyond the delivery of our products to meet the needs repair or replacement throughout the life of machinery and all involved equipment.




As a result, most of our products are available in our stock or can again be made upon request.

Control panels listed below are obviously the original models that fit the number of machine tools and equipment still in operation worldwide.






We will gladly answer any question you may have¹.

Article	Number	Description	
	002 442	Name	MC-KB330.01
		Fixing	6 screws
		Dimensions in mm	330 x 80
		Illuminated flat keys	7
		Rotary switch	1
		Emergency stop button	1
		Parallel interface	
	002 441	Name	MC-KB330.02
		Fixing	6 screws
		Dimensions in mm	330 x 80
		Illuminated flat keys	7
		Rotary switch	1
		Emergency stop button	1
		Manual pulse generator	1
		Parallel interface	

¹ Some articles are available only via the manufacturer of the machine or of the industrial equipment

 your idea...
 our solutions...
 your success...

EASY SA

Article	Number	Description
	002 833	Name MC-KB290 Fixing 6 studs Dimensions in mm 290 x 200 Custom stickers yes Illuminated flat keys 45 Illuminated push buttons 4 Rotary switches 2 Key switches 2 Emergency stop button 1 RS232 connector 1 Fanuc IO Link interface
	002 834	Name MC-KB290W Fixing 6 studs Dimensions in mm 290 x 200 Custom stickers yes Illuminated flat keys 45 Illuminated push buttons 4, with protective covers Rotary switches 2 Key switches 2, with protective covers Emergency stop button 1 RS232 connector 1 Fanuc IO Link interface
	002 837	Name MC-KB400 Fixing 8 studs Dimensions in mm 400 x 200 Custom stickers yes Illuminated flat keys 45 Illuminated push buttons 7 Rotary switches 2 Key switches 2 Emergency stop button 1 Manual pulse generator option RS232 connector 1 Fanuc IO Link interface
	002 838	Name MC-KB400W Fixing 8 studs Dimensions in mm 400 x 200 Custom stickers yes Illuminated flat keys 45 Illuminated push buttons 7, with protective covers Rotary switches 2 Key switches 2, with protective covers Emergency stop button 1 Manual pulse generator option RS232 connector 1 Fanuc IO Link interface
	002 459	Name MC-KB520.02 Fixing 10 studs Dimensions in mm 520 x 200 Custom stickers yes Illuminated flat keys 73 Rotary switches 2 Key switches 2 Emergency stop button 1 Manual pulse generator option Fanuc IO Link interface



your idea...






our solutions...



your success...

EASY_{SA}

Article	Number	Description
	002 465	Name Fixing Dimensions in mm Illuminated flat keys Display 7 segments PC HC-KB330.01 6 screws 270 x 330 15 adjustable luminous intensity 4 option
	003 770	Name Fixing Dimensions in mm Flat keys Led PM-KB 483.01 4 screws 483 x 221.4 123 3
	003 540	Name Fixing Dimensions in mm Flat keys Rotary switches Keyswitch Emergency stop button Potentiometer Parallel interface T-Deco1 4 screws 150 x 200 22 2 1 1 1
	004 800	Name Fixing Dimensions in mm Flat keys Rotary switches Keyswitch Emergency stop button Potentiometer Parallel interface T-Deco2 4 screws 185 x 200 20 2 1 1 1
	002 832	Name Fixing Dimensions in mm Flat keys Rotary switches Keyswitch Emergency stop button Potentiometer Parallel interface T-Deco3 4 screws 220 x 200 24 3 1 1 1
	002 448	Name Fixing Dimensions in mm Flat keys Rotary switches Keyswitch Emergency stop button Manual pulse generator Potentiometer Fanuc IO Link interface T-Evo1 6 screws 450 x 120 29 1 1 1 option 1



your idea...








our solutions...



your success...

EASY SA

Article	Number	Description
	002 452	Name T-Evo2 Fixing 6 screws Dimensions in mm 120 x 450 Flat keys 29 Rotary switches 3 Keyswitch 1 Emergency stop button 1 Manual pulse generator option Potentiometer 1 Fanuc IO Link interface
	002 450	Name T-Evo3 Fixing 6 screws Dimensions in mm 450 x 120 Flat keys 29 Rotary switches 4 Keyswitch 1 Emergency stop button 1 Manual pulse generator option Potentiometer 1 Fanuc IO Link interface
	002 443	Name T-Micro Fixing 6 screws Dimensions in mm 400 x 105 Flat keys 27 Rotary switches 3 Keyswitch 1 Emergency stop button 1 Manual pulse generator option Fanuc IO Link interface
	003 224	Name T-Multi Fixing 6 screws Dimensions in mm 120 x 450 Flat keys 27 Rotary switches 4 Keyswitch 1 Emergency stop button 1 Manual pulse generator option Potentiometer 1 Fanuc IO Link interface
	002 444	Name T-Sigma Fixing 6 screws Dimensions in mm 105 x 400 Flat keys 27 Rotary switches 3 Keyswitch 1 Emergency stop button 1 Manual pulse generator option Potentiometer 1 Fanuc IO Link interface